





PEST CONTROL EXPERTS





No.6, 1st Floor, Balaji Lodge Complex,
NH 46 Service Road(Chennai to Bangalore Highway),
Vellore - 632 004.Tamilnadu. Email:care@pestcontrolexpert.in
Cell: 9087200011 ; 9087200022





Facility Name & Address: gh, gg	Audited On: 12-10-2023
Audited By: SURESH KUMAR.V	
Client Contact Person Name: c	PC Experts Contact Person Name: SURESH KUMAR.V
Client Contact Person No: 9652889585	PC Experts Contact Person No: 9087200011





FACILITY SURROUNDING





hh





Internal Premises				REVIEW DATE	COMPLETION DATE
1		Location	Hn		
		Cleaning / sanitation & Housekeeping Issues	Hj		
		Structural Issue (Pest harbourages)	Hh		
		Access Issues	Hh		
		Description of Pest Infestation	Hh		
		Any other observations	Hh		
		Preventive Action suggested to customer	Hh		
		Curative action from	Gg		
2		Location	Gh		
		Cleaning / sanitation & Housekeeping Issues	Bb		
		Structural Issue (Pest harbourages)	Hh		
		Access Issues	Hh		
		Description of Pest Infestation	Vv		
		Any other observations	Hh		
		Preventive Action suggested to customer	Hy		
		Curative action from	Hh		





3		Location	RM AREA INNER		
		Cleaning / sanitation & Housekeeping Issues	Hj		
		Structural Issue (Pest harbourages)	Hh		
		Access Issues	Jj		
		Description of Pest Infestation	Jj		
		Any other observations	Jjjj		
		Preventive Action suggested to customer	Jj		
		Curative action from	Hj		
4		Location	Bbb		
		Cleaning / sanitation & Housekeeping Issues	Nj		
		Structural Issue (Pest harbourages)	Jj		
		Access Issues	Jj		
		Description of Pest Infestation	Nj		
		Any other observations	N		
		Preventive Action suggested to customer	Nk		
		Curative action from	Nj		
5		Location	Hh		
		Cleaning / sanitation & Housekeeping Issues	Regular Housekeeping Team Monitor Required.		
		Structural Issue (Pest harbourages)	AC pipe hole not closed properly		
		Access Issues	H		
		Description of Pest Infestation	H		
		Any other observations	H		
		Preventive Action suggested to customer	H		
		Curative action from	Y		
6		Location	Bniho		
		Cleaning / sanitation & Housekeeping Issues	J ib		
		Structural Issue (Pest harbourages)	Bh		
		Access Issues	Hj		
		Description of Pest Infestation	H		
		Any other observations	Jj		
		Preventive Action suggested to customer	Hj		
		Curative action from	Hh		





7		Location	Bbn		
		Cleaning / sanitation & Housekeeping Issues	Hhh		
		Structural Issue (Pest harbourages)	Hjj		
		Access Issues	Jjj		
		Description of Pest Infestation	Hjj		
		Any other observations	Hu		
		Preventive Action suggested to customer	Jji		
		Curative action from	Hh		
8		Location	J bu		
		Cleaning / sanitation & Housekeeping Issues	H y		
		Structural Issue (Pest harbourages)	Bhh		
		Access Issues	Bh		
		Description of Pest Infestation	Hh		
		Any other observations	Hh		
		Preventive Action suggested to customer	Vbb		
		Curative action from	Bbh		
9		Location	Hvh		
		Cleaning / sanitation & Housekeeping Issues	Regular Sanitization will be Required.		
		Structural Issue (Pest harbourages)	Cable trench was Opened Condition		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threat for Beetles.		
		Any other observations	B		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	We are instructed to Technician for Regular Monitoring.		
10		Location	Hhj		
		Cleaning / sanitation & Housekeeping Issues	Product Spillages Noticed.		
		Structural Issue (Pest harbourages)	Cable trench was Opened Condition		
		Access Issues	V		
		Description of Pest Infestation	It is Serious Threats for Flies, Lizards, Spiders, & Crawling Insects.		
		Any other observations	M		
		Preventive Action suggested to customer	Around the Pipeline Gap will be closed with cement mortar or Foam Sealant.		
		Curative action from	We are instructed to Technician for Regular Monitoring.		





11		Location	Hj		
		Cleaning / sanitation & Housekeeping Issues	Jj		
		Structural Issue (Pest harbourages)	J		
		Access Issues	K		
		Description of Pest Infestation	It is Serious Threats for Flies, Lizards, Spiders, & Crawling Insects.		
		Any other observations	F		
		Preventive Action suggested to customer	J		
		Curative action from	We are instructed to Technician for Regular Monitoring.		
12		Location	Bbj		
		Cleaning / sanitation & Housekeeping Issues	Hjk		
		Structural Issue (Pest harbourages)	Jj		
		Access Issues	Jk		
		Description of Pest Infestation	It is Serious Threats for Flies, Lizards, Spiders, & Crawling Insects.		
		Any other observations	Fj		
		Preventive Action suggested to customer	J		
		Curative action from	Hj		
13		Location	Hh		
		Cleaning / sanitation & Housekeeping Issues	Hh		
		Structural Issue (Pest harbourages)	Air Curtain not Working.		
		Access Issues	Nn		
		Description of Pest Infestation	Jj		
		Any other observations	Nj		
		Preventive Action suggested to customer	Hh		
		Curative action from	Hh		
14		Location	RM AREA INNER		
		Cleaning / sanitation & Housekeeping Issues	Bb		
		Structural Issue (Pest harbourages)	Compound wall Damaged Condition		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threat for Beetles.		
		Any other observations	B		
		Preventive Action suggested to customer	Jj		
		Curative action from	We are instructed to Technician for Regular Monitoring.		





15		Location	Bb		
		Cleaning / sanitation & Housekeeping Issues	Bb		
		Structural Issue (Pest harbourages)	li		
		Access Issues	J		
		Description of Pest Infestation	Hj		
		Any other observations	Vh		
		Preventive Action suggested to customer	Fg		
		Curative action from	Gh		
16		Location	Vhu		
		Cleaning / sanitation & Housekeeping Issues	Jk		
		Structural Issue (Pest harbourages)	Kk		
		Access Issues	Kk		
		Description of Pest Infestation	Kk		
		Any other observations	Kk		
		Preventive Action suggested to customer	Jj		
		Curative action from	Jk		
17		Location	Hh		
		Cleaning / sanitation & Housekeeping Issues	Hh		
		Structural Issue (Pest harbourages)	Air Curtain not Working.		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threat for Beetles.		
		Any other observations	Nil		
		Preventive Action suggested to customer	J		
		Curative action from	J		
18		Location	Vv		
		Cleaning / sanitation & Housekeeping Issues	Bh		
		Structural Issue (Pest harbourages)	AC pipe hole not closed properly		
		Access Issues	H		
		Description of Pest Infestation	Hh		
		Any other observations	B		
		Preventive Action suggested to customer	Bb		
		Curative action from	We are instructed to Technician for Regular Monitoring.		




19		Location	Jj		
		Cleaning / sanitation & Housekeeping Issues	Jj		
		Structural Issue (Pest harbourages)	Jj		
		Access Issues	Bb		
		Description of Pest Infestation	Hh		
		Any other observations	H		
		Preventive Action suggested to customer	Around the Pipeline Gap will be closed with cement mortar or Foam Sealant.		
		Curative action from	Bh		
20		Location	Gg		
		Cleaning / sanitation & Housekeeping Issues	Regular Housekeeping Team Monitor Required.		
		Structural Issue (Pest harbourages)	Jj		
		Access Issues	Jj		
		Description of Pest Infestation	Jj		
		Any other observations	Bjj		
		Preventive Action suggested to customer	Jj		
		Curative action from	Jj		
21		Location	Ddff		
		Cleaning / sanitation & Housekeeping Issues	Xx		
		Structural Issue (Pest harbourages)	Cc		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	Dd		
		Any other observations	Cc		
		Preventive Action suggested to customer	Xx		
		Curative action from	Cc		
22		Location	Ss		
		Cleaning / sanitation & Housekeeping Issues	Cc		
		Structural Issue (Pest harbourages)	Ff		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	Cc		
		Any other observations	Cc		
		Preventive Action suggested to customer	Dd		
		Curative action from	Cc		

23		Location	Cc		
		Cleaning / sanitation & Housekeeping Issues	Xx		
		Structural Issue (Pest harbourages)	Ff		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	Cc		
		Any other observations	Cf		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	Cf		
24		Location	Dd		
		Cleaning / sanitation & Housekeeping Issues	Ff		
		Structural Issue (Pest harbourages)	Exhaust Fan not working		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threats for Flies, Lizards & Cockroaches.		
		Any other observations	D		
		Preventive Action suggested to customer	Ff		
		Curative action from	Ff		
25		Location	Xx		
		Cleaning / sanitation & Housekeeping Issues	Product Spillages Noticed.		
		Structural Issue (Pest harbourages)	AC pipe hole not closed properly		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threat for Cockroaches.		
		Any other observations	S		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	X		
26		Location	BLENDER AREA		
		Cleaning / sanitation & Housekeeping Issues	F		
		Structural Issue (Pest harbourages)	Crack was Observed in Floor.		
		Access Issues	Ff		
		Description of Pest Infestation	Cf		
		Any other observations	Gf		
		Preventive Action suggested to customer	Gt		
		Curative action from	Df		

27		Location	Zz		
		Cleaning / sanitation & Housekeeping Issues	Vg		
		Structural Issue (Pest harbourages)	Hh		
		Access Issues	Bh		
		Description of Pest Infestation	Hg		
		Any other observations	Vgg		
		Preventive Action suggested to customer	Bh		
		Curative action from	Vv		
External Premises				REVIEW DATE	COMPLETION DATE
1		Location	Bjyb		
		Cleaning / sanitation & Housekeeping Issues	Hh		
		Structural Issue (Pest harbourages)	Hj		
		Access Issues	Hh		
		Description of Pest Infestation	It is Serious Threat for Ants.		
		Any other observations	H		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	Bh		
2		Location	Bb		
		Cleaning / sanitation & Housekeeping Issues	Bnh		
		Structural Issue (Pest harbourages)	Waste Water Running Line was Damaged		
		Access Issues	Hn		
		Description of Pest Infestation	Bb		
		Any other observations	Bb		
		Preventive Action suggested to customer	Bb		
		Curative action from	B		
3		Location	Hj		
		Cleaning / sanitation & Housekeeping Issues	Bj		
		Structural Issue (Pest harbourages)	Nj		
		Access Issues	Nj		
		Description of Pest Infestation	Jj		
		Any other observations	H		
		Preventive Action suggested to customer	Bn		
		Curative action from	Bn		

4		Location	Gb		
		Cleaning / sanitation & Housekeeping Issues	Hj		
		Structural Issue (Pest harbourages)	AC pipe hole not closed properly		
		Access Issues	H		
		Description of Pest Infestation	Y		
		Any other observations	V		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	We are instructed to Technician for Regular Monitoring.		
5		Location	Bn		
		Cleaning / sanitation & Housekeeping Issues	Hj		
		Structural Issue (Pest harbourages)	Nj		
		Access Issues	Hj		
		Description of Pest Infestation	Jj		
		Any other observations	Bk		
		Preventive Action suggested to customer	Jk		
		Curative action from	Mm		
6		Location	Hh		
		Cleaning / sanitation & Housekeeping Issues	Bb		
		Structural Issue (Pest harbourages)	Air Curtain not Working.		
		Access Issues	Gh		
		Description of Pest Infestation	Gh		
		Any other observations	Hh		
		Preventive Action suggested to customer	Nn		
		Curative action from	We are instructed to Technician for Regular Monitoring.		
7		Location	Hh		
		Cleaning / sanitation & Housekeeping Issues	Product Spillages Noticed.		
		Structural Issue (Pest harbourages)	Cable trench was Opened Condition		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	It is Serious Threat for Ants.		
		Any other observations	Nil		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	We are instructed to Technician for Regular Monitoring.		

8		Location	Gg		
		Cleaning / sanitation & Housekeeping Issues	Product Spillages Noticed.		
		Structural Issue (Pest harbourages)	Cable trench was Opened Condition		
		Access Issues	K		
		Description of Pest Infestation	It is Serious Threat for Ants.		
		Any other observations	D		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	We are instructed to Technician for Regular Monitoring.		
9		Location	Hj	12-10-2023	
		Cleaning / sanitation & Housekeeping Issues	Regular Housekeeping Team Monitor Required.		
		Structural Issue (Pest harbourages)	Bn		
		Access Issues	Bb		
		Description of Pest Infestation	Hj		
		Any other observations	H		
		Preventive Action suggested to customer	J		
		Curative action from	J		
10		Location	Uu		
		Cleaning / sanitation & Housekeeping Issues	Hh		
		Structural Issue (Pest harbourages)	Ui		
		Access Issues	Uu		
		Description of Pest Infestation	Uu		
		Any other observations	Hh		
		Preventive Action suggested to customer	Uu		
		Curative action from	Ui		
11		Location	Bb		
		Cleaning / sanitation & Housekeeping Issues	Hj		
		Structural Issue (Pest harbourages)	AC pipe hole not closed properly		
		Access Issues	Bb		
		Description of Pest Infestation	It is Serious Threat for Ants.		
		Any other observations	Hj		
		Preventive Action suggested to customer	Aircurtain Air Will be Checked.		
		Curative action from	V		

12		Location	Bh		
		Cleaning / sanitation & Housekeeping Issues	Jt		
		Structural Issue (Pest harbourages)	Uujj		
		Access Issues	Ju		
		Description of Pest Infestation	Hj		
		Any other observations	Ff		
		Preventive Action suggested to customer	Fh		
		Curative action from	Jj		
13		Location	Vvb		
		Cleaning / sanitation & Housekeeping Issues	Hh		
		Structural Issue (Pest harbourages)	Jj		
		Access Issues	Jj		
		Description of Pest Infestation	Jj		
		Any other observations	Jj		
		Preventive Action suggested to customer	Jj		
		Curative action from	Jj		
14		Location	Xx		
		Cleaning / sanitation & Housekeeping Issues	Xx		
		Structural Issue (Pest harbourages)	Ff		
		Access Issues	Drumps Dumped. We are not able to access.		
		Description of Pest Infestation	Ff		
		Any other observations	Vv		
		Preventive Action suggested to customer	Vv		
		Curative action from	Bv		

Note: hh

For Pest Control Experts


Authorized Signature.

Name: SURESH KUMAR.V

Designation: MANAGER

Emp.Code: 002

Phone Number: 9087200011



For M/s. gh,

Authorized Signature.

Name:

Designation:

Emp.Code:

Phone Number: